

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Xinsu Global Electronic Co.,Limited	Other Name	
Address	Unit 2508A 25/F Bank of America Tower, 12 Harcourt Road Central - - Hong Kong		
Client ID	108463	Global-Mark File Number:	108463-002
Certificate Number & Approval Mark	GMA-514887-EA	Revision Number	00
Certification Standard(s)	AS/NZS 62368.1:2022 & AS/NZS 3112:2017		
Type of Certification	technology equipment - Safety requirements		
	Electrical Safety Product	<i>Scheme</i>	Global-Mark Electrical Product Safety Certification Scheme

System 1 Approval

CERTIFICATE DATES

Certificate Issue Date	21/02/2023
Certificate Last Update Date	
Certification Expiry Date	21/02/2028

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG12012500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.0Vdc, 12.5A, 150.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG12015000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.0Vdc, 15.0A, 180.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG12018000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.0Vdc, 18.0A, 216.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG12020000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.0Vdc, 20.0A, 240.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG12610000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.6Vdc, 10.0A, 126.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG12612500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.6Vdc, 12.5A, 157.5W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG12615000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.6Vdc, 15.0A, 189.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG12618000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.6Vdc, 18.0A, 226.8W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG12620000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.6Vdc, 20.0A, 252.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG13810000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:13.8Vdc, 10.0A, 138.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG13812500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:13.8Vdc, 12.5A, 172.5W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG13815000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:13.8Vdc, 15.0A, 207.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG13818000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:13.8Vdc, 18.0A, 248.4W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG13820000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:13.8Vdc, 20.0A, 276.0W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG14615000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:14.6Vdc, 15.0A, 219.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG14618000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:14.6Vdc, 18.0A, 262.8W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG14620000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:14.6Vdc, 20.0A, 292.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG15015000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:15.0Vdc, 15.0A, 225.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG15017500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:15.0Vdc, 17.5A, 262.5W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG15019465	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:15.0Vdc, 19.465A, 291.975W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG16815000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:16.8Vdc, 15.0A, 252.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG16817300	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:16.8Vdc, 17.3A, 290.6W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG16918000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:16.9Vdc, 18.0A, 304.2W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG18012500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:18.0Vdc, 12.5A, 225.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG18015000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:18.0Vdc, 15.0A, 270.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG18016660	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:18.0Vdc, 16.66A, 299.88W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG18018330	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:18.0Vdc, 18.3A, 330.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG19012000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:19.0Vdc, 12.0A, 228.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG19012500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:19.0Vdc, 12.5A, 237.5W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG19015000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:19.0Vdc, 15.0A, 285.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG19015790	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:19.0Vdc, 15.79A, 300.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG19017360	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:19.0Vdc, 17.36A, 330.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG19512310	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:19.5Vdc, 12.31A, 240.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG19516900	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:19.5Vdc, 16.90A, 329.55W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG19516920	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:19.5Vdc, 16.92A, 330.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG20010000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:20.0Vdc, 10.0A, 200.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG20015000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:20.0Vdc, 15.0A, 300.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG20016500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:20.0Vdc, 16.5A, 330.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG21010000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:21.0Vdc, 10.0A, 210.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG21015000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:21.0Vdc, 15.0A, 315.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG24010000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:24.0Vdc, 10.0A, 240.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG24012000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:24.0Vdc, 12.0A, 288.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG24012500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:24.0Vdc, 12.5A, 300.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG24015000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:24.0Vdc, 15.0A, 360.0W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG2528000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.2Vdc, 8.0A, 201.6W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG2529000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.2Vdc, 9.0A, 226.8W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG25210000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.2Vdc, 10.0A, 252.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG25212500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.2Vdc, 12.5A, 315.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG25215000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.2Vdc, 15.0A, 378.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG2558000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.5Vdc, 8.0A, 204.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG2559000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.5Vdc, 9.0A, 229.5W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG25510000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.5Vdc, 10.0A, 255.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG25512000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.5Vdc, 12.0A, 306.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG25512500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.5Vdc, 12.5A, 318.8W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG25514800	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.5Vdc, 14.8A, 377.4W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG2608000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:26.0Vdc, 8.0A, 208.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG2609000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:26.0Vdc, 9.0A, 234.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG26010000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:26.0Vdc, 10.0A, 260.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG26012000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:26.0Vdc, 12.0A, 312.0W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG26012500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:26.0Vdc, 12.5A, 325.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG26014500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:26.0Vdc, 14.5A, 377W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG2808000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:28.0Vdc, 8.0A, 224.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG28010000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:28.0Vdc, 10.0A, 280.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG28012000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:28.0Vdc, 12.0A, 336.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG2928000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:29.2Vdc, 8.0A, 233.6W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG29210000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:29.2Vdc, 10.0A, 292.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG29212000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:29.2Vdc, 12.0A, 350.4W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG2947000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:29.4Vdc, 7.0A, 205.8W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG2948000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:29.4Vdc, 8.0A, 235.2W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG29410000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:29.4Vdc, 10.0A, 294.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG29412000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:29.4Vdc, 12.0A, 352.8W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3007000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:30.0Vdc, 7.0A, 210.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3008000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:30.0Vdc, 8.0A, 240.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG30010000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:30.0Vdc, 10.0A, 300.0W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG30012000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:30.0Vdc, 12.0A, 360.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3287000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:32.8Vdc, 7.0A, 229.6W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3288000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:32.8Vdc, 8.0A, 262.4W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG32810000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:32.8Vdc, 10.0A, 328.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3367000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:33.6Vdc, 7.0A, 235.2W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3368000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:33.6Vdc, 8.0A, 268.8W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG33610000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:33.6Vdc, 10.0A, 336.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3606000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:36.0Vdc, 6.0A, 216.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3607000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:36.0Vdc, 7.0A, 252.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3608000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:36.0Vdc, 8.0A, 288.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG36010000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:36.0Vdc, 10.0A, 360.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3656000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:36.5Vdc, 6.0A, 219.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3657000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:36.5Vdc, 7.0A, 255.5W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3658000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:36.5Vdc, 8.0A, 292.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG36510000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:36.5Vdc, 10.0A, 365.0W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3786000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:37.8Vdc, 6.0A, 226.8W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3787000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:37.8Vdc, 7.0A, 264.6W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3788000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:37.8Vdc, 8.0A, 302.4W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG37810000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:37.8Vdc, 10.0A, 378.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3806000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:38.0Vdc, 6.0A, 228.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3807000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:38.0Vdc, 7.0A, 266.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3808000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:38.0Vdc, 8.0A, 304.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG3809500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:38.0Vdc, 9.5A, 361.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4026000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:40.2Vdc, 6.0A, 241.2W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4027000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:40.2Vdc, 7.0A, 281.4W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4028000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:40.2Vdc, 8.0A, 321.6W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4029000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:40.2Vdc, 9.0A, 361.8W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4206000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:42.0Vdc, 6.0A, 252.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4207000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:42.0Vdc, 7.0A, 294.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4208000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:42.0Vdc, 8.0A, 336.0W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4208500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:42.0Vdc, 8.5A, 357.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4385000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:43.8Vdc, 5.0A, 219.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4386000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:43.8Vdc, 6.0A, 262.8W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4387000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:43.8Vdc, 7.0A, 306.6W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4388000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:43.8Vdc, 8.0A, 350.4W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4505000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:45.0Vdc, 5.0A, 225.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4506000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:45.0Vdc, 6.0A, 270.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4507000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:45.0Vdc, 7.0A, 315.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4508000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:45.0Vdc, 8.0A, 360.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4625000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:46.2Vdc, 5.0A, 231.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4626000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:46.2Vdc, 6.0A, 277.2W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4627000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:46.2Vdc, 7.0A, 323.4W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4627500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:46.2Vdc, 7.5A, 346.5W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4755000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:47.5Vdc, 5.0A, 237.5W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4756000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:47.5Vdc, 6.0A, 285.0W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4757000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:47.5Vdc, 7.0A, 332.5W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4805000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:48.0Vdc, 5.0A, 240.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4806000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:48.0Vdc, 6.0A, 288.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4806250	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:48.0Vdc, 6.25A, 300.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4807000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:48.0Vdc, 7.0A, 329.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG4807500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:48.0Vdc, 7.5A, 360.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5044000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:50.4Vdc, 4.0A, 201.6W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5045000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:50.4Vdc, 5.0A, 252.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5046000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:50.4Vdc, 6.0A, 302.4W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5047143	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:50.4Vdc, 7.143A, 360.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5104000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:51.0Vdc, 4.0A, 204.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5105000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:51.0Vdc, 5.0A, 255.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5106000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:51.0Vdc, 6.0A, 306.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5107000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:51.0Vdc, 7.0A, 357.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5224000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:52.2Vdc, 4.0A, 208.8W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5225000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:52.2Vdc, 5.0A, 261.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5226000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:52.2Vdc, 6.0A, 313.2W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5226500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:52.2Vdc, 6.5A, 339.3W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5226897	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:52.2Vdc, 6.897A, 360.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5464000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.6Vdc, 4.0A, 218.4W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5465000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.6Vdc, 5.0A, 273.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5466000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.6Vdc, 6.0A, 327.6W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5466500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.6Vdc, 6.5A, 354.9W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5466593	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.6Vdc, 6.593A, 360.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5484000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.8Vdc, 4.0A, 219.2W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5485000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.8Vdc, 5.0A, 274.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5486000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.8Vdc, 6.0A, 328.8W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5486500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.8Vdc, 6.5A, 356.2W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5604000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:56.0Vdc, 4.0A, 224.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5605000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:56.0Vdc, 5.0A, 280W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5606000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:56.0Vdc, 6.0A, 336.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5606429	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:56.0Vdc, 6.429A, 360.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5804000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.0Vdc, 4.0A, 232.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5805000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.0Vdc, 5.0A, 290.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5806000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.0Vdc, 6.0A, 348.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5844000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.4Vdc, 4.0A, 233.6W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5845000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.4Vdc, 5.0A, 292.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5846000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.4Vdc, 6.0A, 350.4W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5884000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.8Vdc, 4.0A, 235.2W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5885000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.8Vdc, 5.0A, 294.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG5886000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.8Vdc, 6.0A, 352.8W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6004000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:60.0Vdc, 4.0A, 240.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6005000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:60.0Vdc, 5.0A, 300.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6006000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:60.0Vdc, 6.0A, 360.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6204000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:62.0Vdc, 4.0A, 248.0W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6205000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:62.0Vdc, 5.0A, 310.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6205806	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:62.0Vdc, 5.806A, 360.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6304000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:63.0Vdc, 4.0A, 252.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6304500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:63.0Vdc, 4.5A, 283.5W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6305000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:63.0Vdc, 5.0A, 315.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6305500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:63.0Vdc, 5.5A, 346.5W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6305714	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:63.0Vdc, 5.714A, 360.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6573500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:65.7Vdc, 3.5A, 229.95W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6574000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:65.7Vdc, 4.0A, 262.8W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6574500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:65.7Vdc, 4.5A, 295.65W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6575000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:65.7Vdc, 5.0A, 328.5W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6575480	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:65.7Vdc, 5.48A, 360.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6723500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:67.2Vdc, 3.5A, 235.2W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6724000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:67.2Vdc, 4.0A, 268.8W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6724500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:67.2Vdc, 4.5A, 302.4W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6725000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:67.2Vdc, 5.0A, 336.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6725330	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:67.2Vdc, 5.33A, 358.176W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6943000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:69.4Vdc, 3.0A, 208.2W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6943500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:69.4Vdc, 3.5A, 242.9W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6944000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:69.4Vdc, 4.0A, 277.6W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6944500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:69.4Vdc, 4.5A, 312.3W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6945000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:69.4Vdc, 5.0A, 347.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG6945180	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:69.4Vdc, 5.18A, 359.492W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7143000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:71.4Vdc, 3.0A, 214.2W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7143500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:71.4Vdc, 3.5A, 249.9W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7144000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:71.4Vdc, 4.0A, 285.6W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7144500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:71.4Vdc, 4.5A, 321.3W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7145000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:71.4Vdc, 5.0A, 357.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7303000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:73Vdc, 3.0A, 219.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7303500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:73Vdc, 3.5A, 255.5W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7304000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:73Vdc, 4.0A, 292.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7304500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:73Vdc, 4.5A, 328.5W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7304930	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:73Vdc, 4.93A, 359.89W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7563000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:75.6Vdc, 3.0A, 226.8W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7563500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:75.6Vdc, 3.5A, 264.6W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7564000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:75.6Vdc, 4.0A, 302.4W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7564500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:75.6Vdc, 4.5A, 340.2W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7564750	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:75.6Vdc, 4.75A, 359.1W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7603000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:76.0Vdc, 3.0A, 228.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7603500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:76.0Vdc, 3.5A, 266.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7604000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:76.0Vdc, 4.0A, 304.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7604500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:76.0Vdc, 4.5A, 342.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7703000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:77.0Vdc, 3.0A, 231.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7703500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:77.0Vdc, 3.5A, 269.5W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7704000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:77.0Vdc, 4.0A, 308.0W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7704500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:77.0Vdc, 4.5A, 346.5W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7983000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:79.8Vdc, 3.0A, 239.4W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7983500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:79.8Vdc, 3.5A, 279.3W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7984000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:79.8Vdc, 4.0A, 319.2W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG7984500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:79.8Vdc, 4.5A, 359.1W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8003000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:80.0Vdc, 3.0A, 240.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8003500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:80.0Vdc, 3.5A, 279.3W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8004000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:80.0Vdc, 4.0A, 320.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8004500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:80.0Vdc, 4.5A, 360.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8033000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:80.3Vdc, 3.0A, 240.9W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8033500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:80.3Vdc, 3.5A, 281.05W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8034000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:80.3Vdc, 4.0A, 321.2W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8034480	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:80.3Vdc, 4.48A, 359.744W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8203000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:82.0Vdc, 3.0A, 246.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8203500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:82.0Vdc, 3.5A, 287.0W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8204000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:82.0Vdc, 4.0A,328.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8204390	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:82.0Vdc, 4.39A, 360.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8402000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:84.0Vdc, 2.0A, 168.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8403000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:84.0Vdc, 3.0A, 252.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8403500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:84.0Vdc, 3.5A, 294.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8404000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:84.0Vdc, 4.0A,336.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8404285	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:84.0Vdc, 4.285A, 360.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8762000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:87.6Vdc, 2.0A, 175.2W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8763000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:87.6Vdc, 3.0A, 262.8W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8763500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:87.6Vdc, 3.5A, 306.6W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8764000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:87.6Vdc, 4.0A,350.4W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8802000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:88.0Vdc, 2.0A,176.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8803000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:88.0Vdc, 3.0A, 264.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8803500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:88.0Vdc, 3.5A, 308.0W,
Power Supply or Charger	Switching Power Supply/Charger	Xinsu Global Electronic Co., Limited	XSG8804000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:88.0Vdc, 4.0A,352.0W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

